



Arctic Charr Section A-1

Lake Trout Section A-2




Whitefish Section A-3


### Diseases and Parasites of Fish




#### **Cuts, scrapes and scars**




#### **Parasitic copepods**




## Fungus in fish (Internal fungal infection)




### Diseases and Parasites of Fish




#### **Roundworms**




#### **Adult tapeworms**



#### **Tapeworm cysts**




### Diseases and Parasites of Fish




Organs, body cavity

#### Thorny-headed worms



## Fungus in fish (Internal fungal infection)



### **A-1.1**



## **Cuts, Scrapes and Scars**



### 1. Where are they found?

• Cuts, scrapes and scars can occur anywhere on the body.

### 2. What are they?

• Cuts, scrapes and scars can be caused by many different things such as gill nets or low water levels in spawning areas.

Photo Credit: J.D. Reist



Photo Credit: D.K. McGowan





## **Cuts, Scrapes and Scars**

3. Is it safe to clean the fish?



4. Is it safe to eat the fish?





### A-1.2

## Copepods








Copepods are

### 1. Where are they found?



found attached to the gills (Photo A), to skin on the inside of the mouth (Photo B and C) or to the fins.

Photo Credit: D.B. Stewart

- Copepods are small water-living animals that live on fish.
- Adult copepods attach themselves permanently to the fish.




Photo Credit: L.M.J. Bernier

Photo Credit: Manon Simard; Makivik Corporation



## Copepods

3. Is it safe to clean the fish?




4. Is it safe to eat the fish?







## Fungus in fish (Internal fungal infection)



### 1. Where is it found?

- Fungus may be taken into the fish as it fills its swim bladder with air.
- In rare cases, the fungus may grow, spread and infect many areas in the body.
- This photo shows patches of fungus (like bread mould) found inside fish.



### 2. What is it?

• This is a fungus that is normally found on plants but can get into fish.



## Fungus in fish (Internal fungal infection)

3. Is it safe to clean the fish?



4. Is it safe to eat the fish?



It is not recommended to eat fish that looks unusually sick and has fungus on the inside.

5. Is it safe to feed to dogs?



It is not recommended to feed dogs anything that is not safe for humans to eat.

### A-1.4



### Roundworms



### 1. Where are they found?

• Roundworms can be found on any organ of the body and also in the flesh.

Photo Credit: D.B. Stewart




Photo Credit: Manon Simard; Makivik Corporation



Roundworms in the body cavity.

- Roundworms are parasitic worms.
- Adults can be quite large (up to 20 cm in length).
- Immature roundworms are found coiled.
- Roundworms are cream, brown or red in colour.



### **Roundworms**

3. Is it safe to clean the fish?



4. Is it safe to eat the fish?



Human health risks are uncertain.
Please read "Human health concerns" in section H-A.4

5. Is it safe to feed to dogs?



Please read "Safety of the meat for dogs" in section H-A.4

### **A-1.5**

## **Adult Tapeworms**




**Arctic Charr** 



### 1. Where are they found?

• Adult tapeworms are found in the intestine of fish.

Photo Credit: D.B. Stewart



- This photo shows an adult tapeworm from the intestine of a fish.
- Some worms can grow as long as 40 cm.

- These are parasitic worms that live in the intestine of fish.
- They are fairly common.



## **Adult Tapeworms**

3. Is it safe to clean the fish?



4. Is it safe to eat the fish?






### **A-1.6**

### **Immature Tapeworms**





### 1. Where are they found?



- Within the gut cavity and on the surface of organs.
- Attached to the swim bladder.
- Immature tapeworms can live within a sac (cyst) or they may live free (not within a cyst) in the fish.

### 2. What are they?

• Immature tapeworms are young worms that mature into adult worms within animals, such as seals (see seal tapeworms in sections C-1.6 and C-2.6), which feed on fish containing these immature worms.





## **Immature Tapeworms**

3. Is it safe to clean the fish?



4. Is it safe to eat the fish?



It is recommended to cook\* the fish well before eating it.

5. Is it safe to feed to dogs?



It is recommended to cook\* the fish well before feeding to dogs.

 Cooking, as well as freezing, will kill most worms.

For more information go to H-A.5



### **Thorny-headed Worms**

# Arctic Charr

### 1. Where are they found?

- Thorny-headed worms appear most often in the intestine of the fish, but can sometimes occur in the stomach.
- This photo shows adult thorny-headed worms attached to the intestine of a fish.



Sores may occur at the point of attachment.

- These are parasitic worms that live in the intestine of fish.
- Worms can grow to be 1 to 3 cm in length.
- They are fairly common.



## **Thorny-headed Worms**

3. Is it safe to clean the fish?



4. Is it safe to eat the fish?





### A-2.1



## **Cuts, Scrapes and Scars**



### 1. Where are they found?

• Cuts, scrapes and scars can occur anywhere on the body.

### 2. What are they?

• Cuts, scrapes and scars can be caused by many different things such as gill nets and low water levels in spawning areas.

Photo Credit: J.D. Reist



Photo Credit: D.K. McGowan





## **Cuts, Scrapes and Scars**

3. Is it safe to clean the fish?




4. Is it safe to eat the fish?
















### 1. Where are they found?



• Copepods are found attached to the gills (Photo A), to skin on the inside of the mouth (Photo B and C) or to the fins.

Photo Credit: D.B. Stewart

- Copepods are small water-living animals that live on fish.
- Adult copepods attach themselves permanently to the fish.




Photo Credit: L.M.J. Bernier

Photo Credit: Manon Simard; Makivik Corporation



## Copepods

3. Is it safe to clean the fish?



4. Is it safe to eat the fish?





## Fungus in fish (Internal Fungal Infection)







### 1. Where is it found?

- Fungus may be taken into the fish as it fills its swim bladder with air.
- In rare cases, the fungus may grow, spread and infect many areas in the body.
- This photo shows patches of fungus (like bread mould) found inside a fish.

**Photo Credit: DFO** 



### 2. What is it?

• This is a fungus that is normally found on plants but can get into fish.



## Fungus in fish (Internal Fungal Infection)

3. Is it safe to clean the fish?



4. Is it safe to eat the fish?




It is not recommended to eat fish that looks unusually sick and has fungus on the inside.

5. Is it safe to feed to dogs?



It is not recommended to feed dogs anything that is not safe for humans to eat.




### Roundworms



### 1. Where are they found?

• Roundworms can be found on any organ in the body cavity and also in the flesh.



Roundworms in the body cavity.

- Roundworms are parasitic worms.
- Adults can be quite large (up to 20 cm in length).
- Immature roundworms are found coiled.
- Roundworms may be cream, brown or red in colour.



### **Roundworms**

3. Is it safe to clean the fish?



4. Is it safe to eat the fish?



Human health risks are uncertain.
Please read "Human health concerns" in section H-A.4


5. Is it safe to feed to dogs?



Please read "Safety of the meat for dogs" in section H-A.4

### A-2.5


## **Adult Tapeworms**



### 1. Where are they found?


• Adult tapeworms are found in the intestine of fish.

Photo Credit: D.B. Stewart



- This photo shows an adult tapeworm from the intestine of a lake trout.
- Some worms can grow as long as 40 cm.

- These are parasitic worms that live in the intestine of fish.
- They are fairly common.



## **Adult Tapeworms**

3. Is it safe to clean the fish?




4. Is it safe to eat the fish?






### **A-2.6**

### **Immature Tapeworms**





### 1. Where are they found?



- Within the gut cavity and on the surface of organs.
- Attached to the swim bladder.
- Immature tapeworms can live within a sac (cyst) or they may live free (not within a cyst) in the fish.

### 2. What are they?

• Immature tapeworms are young worms that mature into adult worms within animals, such as seals (see seal tapeworms in sections C-1.6 and C-2.6), which feed on fish containing these immature worms.





## **Immature Tapeworms**

3. Is it safe to clean the fish?



4. Is it safe to eat the fish?



It is recommended to cook\* the fish well before eating it.

5. Is it safe to feed to dogs?




It is recommended to cook\* the fish well before feeding it to dogs.

\* Cooking, as well as freezing, will kill most worms.

For more information go to H-A.5



### **Thorny-headed Worms**



### 1. Where are they found?

- Thorny-headed worms appear most often in the intestine of the fish, but can sometimes occur in the stomach.
- This photo shows adult thorny-headed worms attached to the intestine of a lake trout.



Sores may occur at the point of attachment.

- These are parasitic worms that live in the intestine of fish.
- Worms can grow to be 1 to 3 cm in length.
- They are fairly common.



## **Thorny-headed Worms**

3. Is it safe to clean the fish?




4. Is it safe to eat the fish?





### A-3.1



### **Cuts, Scrapes and Scars**



### 1. Where are they found?

• Cuts, scrapes and scars can occur anywhere on the body.

### 2. What are they?


• Cuts, scrapes and scars can be caused by many different things such as gill nets and low water levels in spawning areas.

Photo Credit: J.D. Reist



Photo Credit: D.K. McGowan





## **Cuts, Scrapes and Scars**

3. Is it safe to clean the fish?




4. Is it safe to eat the fish?





## Copepods



## 1. Where are they found?




Photo Credit: D.B. Stewart

 Copepods are found attached to the gills (Photo A), to skin on the inside of the mouth (Photo B and C) or to the fins.

### 2. What are they?

- Copepods are small water-living animals that live on fish.
- Adult copepods attach themselves permanently to the fish.





Photo Credit: L.M.J. Bernier

Photo Credit: Manon Simard; Makivik Corporation



## Copepods

3. Is it safe to clean the fish?



4. Is it safe to eat the fish?





### **A-3.3**

## (Internal Fungal Infection)

## **Fungus in fish**




- Fungus may be taken into the fish as it fills its swim bladder with air.
- In rare cases, the fungus may grow, spread and infect many areas in the body.
- This photo shows patches of fungus (like bread mould) found inside fish.



Whitefish

### 2. What is it?

 This is a fungus that is normally found on plants but can get into fish.



## Fungus in fish (Internal Fungal Infection)

3. Is it safe to clean the fish?



4. Is it safe to eat the fish?




It is not recommended to eat fish that looks unusually sick and has fungus on the inside.


5. Is it safe to feed to dogs?



It is not recommended to feed dogs anything that is not safe for humans to eat.



Roundworms



### 1. Where are they found?

• Roundworms can be found on any organ of the body and also in the flesh.

Photo Credit: D.B. Stewart





Photo Credit: Manon Simard; Makivik Corporation



Roundworms in the body cavity.

- Roundworms are parasitic worms.
- Adults can be quite large (up to 20 cm in length).
- Immature roundworms are found coiled.
- Roundworms are cream, brown or red in colour.



### Roundworms

3. Is it safe to clean the fish?



4. Is it safe to eat the fish?



Human health risks are uncertain.
Please read "Human health concerns" in section H-A.4


5. Is it safe to feed to dogs?



Please read "Safety of the meat for dogs" in section H-A.4

### A-3.5

## **Adult Tapeworms**








### 1. Where are they found?

- Adult tapeworms are found in the intestine of fish.
- This photo shows an adult tapeworm from the intestine of a fish.
- Some worms can grow as long as 40 cm.



- These are parasitic worms that live in the intestine of fish.
- They are fairly common.



## **Adult Tapeworms**

3. Is it safe to clean the fish?




4. Is it safe to eat the fish?






### **A-3.6**


## **Immature Tapeworms**





### 1. Where are they found?







- Within the gut cavity and on the surface of organs.
- Attached to the swim bladder.
- Immature tapeworms can live within a sac (cyst) or they may live free (not within a cyst) in the fish.

### 2. What are they?

• Immature tapeworms are young worms that mature into adult worms within animals, such as seals (see seal tapeworms in sections C-1.6 and C-2.6), which feed on fish containing these immature worms.





## **Immature Tapeworms**

3. Is it safe to clean the fish?



4. Is it safe to eat the fish?



It is recommended to cook\* the fish well before eating it.


5. Is it safe to feed to dogs?




It is recommended to cook\* the fish well before feeding it to dogs.

\* Cooking, as well as freezing, will kill most worms.

For more information go to H-A.5



### **Thorny-headed Worms**




### 1. Where are they found?

- Thorny-headed worms appear most often in the intestine of the fish, but can sometimes occur in the stomach.
- This photo shows adult thorny-headed worms attached to the intestine of a fish.



Sores may occur at the point of attachment.

- These are parasitic worms that live in the intestine of fish.
- Worms can grow to be 1 to 3 cm in length.
- They are fairly common.



## **Thorny-headed Worms**

3. Is it safe to clean the fish?



4. Is it safe to eat the fish?



