

Environmental Guideline for Waste Asbestos



Department of Environment
Government of Nunavut

GUIDELINE: WASTE ASBESTOS

Original: January 2002

Revised: January 2011

This Guideline has been prepared by the Department of Environment's Environmental Protection Division and approved by the Minister of Environment under the authority of Section 2.2 of the *Environmental Protection Act*.

This Guideline is not an official statement of the law and is provided for guidance only. Its intent is to increase the awareness and understanding of the risks, hazards and best management practices associated with waste asbestos. This Guideline does not replace the need for the owner or person in charge, management or control of the waste to comply with all applicable legislation and to consult with Nunavut's Department of Environment, other regulatory authorities and qualified persons with expertise in the management of waste asbestos.

Copies of this Guideline are available upon request from:

Department of Environment
Government of Nunavut

P.O. Box 1000, Station 1360, Iqaluit, NU, X0A 0H0

Electronic version of the Guideline is available at <http://env.gov.nu.ca/programareas/environmentprotection>

Cover Photos: Left – Mesotheliomalungs.com
Centre – Public Domain
Right – Arun District Council, United Kingdom

Table of Contents

Introduction	1
1.1 Definitions	1
1.2 Roles and Responsibilities.....	2
1.2.1 Department of Environment	2
1.2.2 Generators of Waste Asbestos	3
1.2.3 Other Regulatory Agencies	3
Characteristics and Potential Effects of Asbestos	5
2.1 Characteristics	5
2.2 Potential Effects on Environment and Human Health	5
Waste Management	6
3.1 Pollution Prevention	6
3.2 Handling and Removal	6
3.3 Storage	7
3.4 Transportation	8
3.5 Disposal.....	9
Conclusion	10
References	11

Appendices

Appendix 1	Environmental Protection Act
Appendix 2	Safety Act: Asbestos Safety Regulations
Appendix 3	Asbestos Containing Materials
Appendix 4	Government and Industry Contacts

Introduction

Asbestos is the commercial term given to a group of silicate minerals that occur naturally in the environment. These minerals have separable long fibers that are heat resistant, strong and flexible enough to be woven or spun. Because of these characteristics, asbestos has been used in a wide range of manufactured products, mostly in building materials (i.e. roofing shingles, ceiling and floor tiles, wallboard, clapboard and asbestos cement products), friction products (i.e. automobile clutch, brake and transmission parts) and heat resistant insulation, fabrics, packaging, gaskets and coatings. Loose-fill vermiculite insulation may also contain small amounts of asbestos.

During the 1980s the health and safety risks associated with asbestos started to become known. As a result, the use of asbestos was banned or phased out throughout North America. Asbestos products may still be found when buildings are being renovated or demolished, or when carrying out repairs on older vehicles and electrical appliances.

Although asbestos is typically considered to be a human health hazard, the route of exposure is through breathing air and drinking water that contain the very small asbestos fibres. The *Environmental Guideline for Waste Asbestos* (the Guideline) provides information on the characteristics and potential environmental and human health effects of waste asbestos and guidance on its proper storage, handling and removal, transportation and disposal. It is not an official statement of the law. For further information and guidance, the owner or person in charge, management or control of waste asbestos is encouraged to review all applicable legislation and consult the Department of Environment, other regulatory agencies or qualified persons with expertise in the management of waste asbestos.

The *Environmental Protection Act* enables the Government of Nunavut to implement measures to preserve, protect and enhance the quality of the natural environment. Section 2.2 of the *Act* provides the Minister with authority to develop, coordinate, and administer the Guideline.

1.1 Definitions

<i>Asbestos</i>	A commercial term given to naturally occurring fibrous silicate minerals including crocidolite, amosite, chrysotile, fibrous anthophyllite, tremolite, actinolite and mysorite.
<i>Commissioner's Land</i>	Lands that have been transferred by Order-in-Council to the Government of Nunavut. This includes roadways and land subject to block land transfers. Most Commissioner's Land is located within municipalities.
<i>Contaminant</i>	Any noise, heat, vibration or substance and includes such other substance as the Minister may prescribe that, where discharged into the environment, (a) endangers the health, safety or welfare of persons, (b) interferes or is likely to interfere with normal enjoyment of life or property, (c) endangers the health of animal life, or (d) causes or is likely to cause damage to plant life or to property.

<i>Dangerous Good</i>	Any product, substance or organism included by its nature or by the <i>Transportation of Dangerous Goods Regulations</i> in any of the classes listed in the schedule provided in the <i>Transportation of Dangerous Goods Act</i> .
<i>Environment</i>	The components of the Earth and includes (a) air, land and water, (b) all layers of the atmosphere, (c) all organic and inorganic matter and living organisms, and (d) the interacting natural systems that include components referred to in paragraphs (a) to (c) above.
<i>Friable Waste Asbestos</i>	Waste asbestos which can be crumbled by hand pressure when it is dry.
<i>Minister</i>	The Minister of Environment of the Government of Nunavut.
<i>Qualified Person</i>	A person who has an appropriate level of knowledge and experience in all relevant aspects of waste management.
<i>Responsible Party</i>	The owner or person in charge, management or control of the waste.
<i>Transport Authority</i>	The statute and regulations controlling the management of hazardous waste under that mode of transport. These include (a) Road and Rail - <i>Transportation of Dangerous Goods Act (Canada) and Regulations; Interprovincial Movement of Hazardous Waste Regulations and Export and Import of Hazardous Waste and Hazardous Recyclable Material Regulations</i> . (b) Air – <i>International Air Transport Association (IATA) Dangerous Goods Regulations and International Civil Aviation Organization (ICAO) Technical Instructions</i> ; and (c) Marine – <i>International Maritime Dangerous Goods Code (IMDG)</i> .
<i>Waste Asbestos</i>	A substance containing asbestos in a concentration greater than 1% by weight that is no longer wanted or is unusable for its intended purpose and is intended for storage or disposal. Waste asbestos does not include asbestos that is immersed or fixed in a natural or artificial binder.

1.2 Roles and Responsibilities

1.2.1 Department of Environment

The Environmental Protection Division is the key environmental agency responsible for ensuring parties properly manage waste asbestos and will provide advice and guidance on its management. Authority is derived from the *Environmental Protection Act*, which prohibits the discharge of contaminants to the environment and enables the Minister to undertake actions to ensure appropriate management measures are in place. Although programs and services are applied primarily to activities taking place on Commissioner's and municipal lands and to Government of Nunavut undertakings, the *Environmental Protection Act* may be applied to the whole of the territory where other controlling legislation, standards and guidelines do not exist. A complete listing of relevant legislation and guidelines can be

obtained by contacting the Department of Environment or by visiting the web site at <http://env.gov.nu.ca/programareas/environmentprotection>.

1.2.2 Generators of Waste Asbestos

The owner or person in charge, management or control of waste asbestos is known as the responsible party. In general, the responsible party must ensure asbestos is properly and safely managed from the time it is produced to its final disposal. This is referred to as managing the waste from cradle-to-grave. Information on the general management of hazardous waste in Nunavut, including generator, carrier and receiver responsibilities, can be obtained by referring to the *Environmental Guideline for the General Management of Hazardous Waste*.

Contractors may manage unwanted or waste asbestos on behalf of the responsible party. However, the responsible party remains liable for ensuring the method of management complies with all applicable statutes, regulations, standards, guidelines and local by-laws. If the contractor does not comply with the requirements of the *Environmental Protection Act* and is charged with a violation while managing the waste, the responsible party may also be charged.

1.2.3 Other Regulatory Agencies

Other regulatory agencies may have to be consulted regarding the management of waste asbestos as there may be other environmental or public and worker health and safety issues to consider.

Workers' Safety and Compensation Commission

The Workers' Safety and Compensation Commission is responsible for promoting and regulating worker and workplace health and safety in Nunavut. The Commission derives its authority from the *Workers' Compensation Act* and *Safety Act* which require an employer to maintain a safe workplace and ensure the safety and well being of workers. The *Asbestos Safety Regulations* provide specific requirements for the safe handling of asbestos in the workplace and for medical surveillance of workers.

Department of Community and Government Services

The Department of Community and Government Services is responsible under the *Commissioners' Lands Act* for the issuance of land leases, reserves, licenses and permits on Commissioner's Lands. The Department, in cooperation with communities, is also responsible for the planning and funding of municipal solid waste and sewage disposal facilities in most Nunavut communities.

Department of Health and Social Services

Activities related to the handling and management of waste asbestos may have an impact on public health. The Office of the Chief Medical Officer of Health and Regional Environmental Health Officers should be consulted regarding legislated requirements under the *Public Health Act*.

Department of Economic Development and Transportation

The Motor Vehicles Division of the Department of Economic Development and Transportation is responsible for the safe transport of hazardous waste and other dangerous goods by road through administration of the *Transportation of Dangerous Goods Act*. The Department is also responsible under the *Motor Vehicles Act* for driver licensing and various other vehicle and road safety matters.

Environment Canada

Environment Canada is responsible for administering the *Canadian Environmental Protection Act (CEPA)*¹ and for regulating the interprovincial and international movement of hazardous waste, including waste asbestos, under the *Interprovincial Movement of Hazardous Waste Regulations* and *Export and Import of Hazardous Waste and Hazardous Recyclable Material Regulations*. Environment Canada is also responsible for administering the pollution prevention provisions of the federal *Fisheries Act*.

Indian and Northern Affairs Canada

Indian and Northern Affairs Canada is responsible under the *Territorial Lands Act* and *Nunavut Waters and Nunavut Surface Rights Tribunal Act* for the management of federal lands and waters, including the impact waste asbestos may have on the quality of these lands and waters.

Local Municipal Governments

The role of municipal governments is important in the proper local management of waste asbestos. Under the Nunavut Land Claims Agreement, municipalities are entitled to control their own municipal disposal sites. Unwanted waste may be deposited into municipal landfill sites and sewage lagoons only with the consent of the local government. The local fire department may also be called upon if a fire or other public safety issue involving asbestos is identified.

Co-management Boards and Agencies

Co-management boards and agencies established under the Nunavut Land Claims Agreement have broad authority for land use planning, impact assessment and the administration of land and water. Activities involving the management and disposal of waste asbestos may be controlled through the setting of terms and conditions in plans, permits and licenses issued by the Nunavut Water Board and other co-management boards and agencies.

¹ Asbestos is listed in Schedule 1 of the *Canadian Environmental Protection Act* as being a "Toxic Substance"

Characteristics and Potential Effects of Asbestos

2.1 Characteristics

Asbestos is a naturally occurring silicate mineral with several unusual properties. Its long flexible silky fibres are strong enough to be spun or woven into a variety of blanket-like products. It is resistant to high temperatures, chemical corrosion and wear. A poor conductor of electricity, asbestos also insulates well against heat and electricity. This combination of properties gives asbestos performance characteristics that are difficult to match and, as a result, it has been used in a wide range of manufactured products over the years including building materials (i.e. roofing shingles, ceiling and floor tiles, wallboard, clapboard and asbestos cement products), various automotive friction products (i.e. clutch, brake and transmission parts) as well as heat resistant insulation, fabrics, packaging, gaskets and coatings. Although asbestos use was either banned or largely phased out in North America starting in the mid 1980s, it can still be found in many older buildings, vehicles and appliances. Appendix 3 provides a listing of products that have been manufactured in the past using asbestos.




Figure 1 - Anthophyllite Asbestos Fibres
Source: Public Domain

2.2 Potential Effects on Environment and Human Health

Asbestos fibres are stable and do not break down into other compounds in soil, evaporate into air or dissolve in water. In other words, the basic silicate structure of the fibre remains largely intact in the environment. Small diameter fibres may remain suspended in air and water and be carried long distances while larger fibres tend to be deposited more quickly. Asbestos fibres are not able to move through soil.

Human exposure to asbestos occurs when the asbestos-containing material is disturbed in some way so as to release fibres into the air and water. Small amounts can also be released to the environment through the breakdown of natural deposits. Health risks occur when fibres are present in drinking water and in the air that people breathe. When inhaled, asbestos fibres can cause asbestosis (a scarring of the lungs which makes breathing difficult), lung cancer and mesothelioma (a rare cancer of the lining of the chest or abdominal cavity). The risk of contracting an asbestos related disease is greatest when fibre concentrations in the air are high and the exposure period is long, such as in the workplace. Smoking combined with asbestos inhalation also greatly increases the risk of lung cancer.

Waste Management

Minimizing or avoiding the creation of pollutants and wastes can be more effective in protecting the environment than treating or cleaning them up after they have been created.²

3.1 Pollution Prevention

Pollution prevention is a term used to describe methods and practices that minimize or eliminate the generation of waste. If asbestos is known to be present, removal of the asbestos material should only be undertaken by a qualified person and only when the material is beyond repair or, if it is in a building, when the building is undergoing renovation or demolition. Asbestos that is not disturbed or deteriorated does not, in general, pose a risk to human health and can be left alone.

Other pollution prevention opportunities for waste asbestos include:

- Reduce*
- Replace asbestos-containing materials with less hazardous materials. A number of materials have been developed as replacements for asbestos in manufactured products including fiberglass, carbon and graphite fibres and PTFE (polytetra fluoroethylene).
- Reuse*
- Encapsulate existing asbestos material by sealing with paint or an epoxy product or cover the material with paneling or other non-asbestos product. The Workers' Safety and Compensation Commission, Chief Medical Officer of Health and your Regional Environmental Health Officer must be consulted prior to encapsulating or sealing existing asbestos material.
 - Friable asbestos materials should never be reused for any purpose once it has been removed. Non-friable asbestos materials (i.e. asbestos cementous board) can only be re-used if it remains intact and unbroken. This will extend the life of the product and reduce replacement costs.

Public and commercial building and home owners should keep an inventory of asbestos material so as to inform users, contractors and regulatory and municipal authorities in the event of renovation or demolition activities or an emergency (i.e. fire).

3.2 Handling and Removal

The safe handling and removal of asbestos requires a thorough understanding of the potential risks and knowledge of abatement measures. As long as the asbestos fibres remain enclosed or tightly bound in the material, the fibres will not be released to the air and there is no significant health risk. However, asbestos materials that are disturbed, broken or removed can result in the release of fibres if adequate safety measures are not in place. Unfortunately, simply looking at the material may not confirm whether asbestos is present. If in doubt, have the material analyzed by a qualified person.

Homeowners should contact the Chief Medical Health Officer or Regional Environmental Health Officer before handling material that contains asbestos. Check the material regularly for any sign of damage or wear and have renovations or asbestos removal carried out by a trained and qualified person.

² Source – Canadian Council of Ministers of the Environment.

The *Asbestos Safety Regulations* provide employers with specific requirements for the safe handling of asbestos in the workplace. The *Regulations* require that employers:

- Provide workers with protective respiratory equipment, clothing and eye protection.
- Enclose the work area and ventilate the air using filtering equipment.
- Post warning signs and notices.
- Soak the asbestos material through its entire thickness with water during its removal to minimize release of asbestos fibres.
- Thoroughly clean the work area each day.
- Place all asbestos material and debris in clearly labeled, sealed and airtight containers.
- Provide training to workers in the use of protective equipment, the safe handling and disposal of asbestos waste and health information on the potential effects of asbestos exposure.
- Pay and arrange for a medical examination upon the written request of a worker involved in handling and disposing of asbestos materials and waste.

Employers should consult the *Asbestos Safety Regulations* in order to obtain a complete description of the regulatory requirements. A consolidated copy of the current *Regulations* is provided in Appendix 2. The authoritative text can be obtained by contacting the Workers' Safety and Compensation Commission or by downloading a copy from the Department of Justice web site at <http://www.justice.gov.nu.ca/apps/search/docSearch.aspx>.

The handling and removal of asbestos should only be undertaken by trained and qualified persons. The names of qualified asbestos abatement companies can be obtained by contacting the Workers' Safety and Compensation Commission or the waste management exchanges and associations listed in Appendix 10 of the *Environmental Guideline for the General Management of Hazardous Waste*.

3.3 Storage

Storage refers to the maintenance of waste asbestos while awaiting its transport and disposal. Storage is not acceptable for the long-term management of waste asbestos except under extraordinary circumstances and should be considered as a temporary measure only.

Waste asbestos should be stored in the following manner:

- Store wet waste asbestos in airtight, non-leaking plastic or 16 gauge steel drums. Dry asbestos can be stored in 6 mil plastic bags sealed within non-reusable drums or a second 6 mil plastic bag. Containers should be tightly sealed when not in use to prevent release of asbestos fibres.
- Each container must be clearly labeled "ASBESTOS" in accordance with the *Asbestos Safety Regulations*. If waste asbestos is being stored in an institutional, commercial or industrial location or if the asbestos is being stored for transport, the containers must also be labeled in accordance with the *Workplace Hazardous Materials Information System* (WHMIS) and relevant Transport Authority.
- Place all labeled containers in a secure and clearly marked area.
- Containers should be located so as to be protected from the sun, weather and physical damage.
- Workers must be trained in the safe handling and shipping for waste asbestos, have access to material safety data sheets and be provided with personal protective equipment. Only trained personnel should have access to the designated storage area.

If a commercial facility is used to store hazardous waste for periods of 180 days or more or the quantity of asbestos and other waste on-site at any one time exceeds the criteria set out in the *Environmental Guideline for the General Management of Hazardous Waste*³, the facility must be registered with the Department of Environment as a hazardous waste management facility. Copies of registration forms are available at <http://env.gov.nu.ca/programareas/environmentprotection/forms-applications> or by contacting Nunavut's Department of Environment. Refer to the *Environmental Guideline for the General Management of Hazardous Waste* for additional information on the registration process.

3.4 Transportation

Friable waste asbestos should never be transported in bulk, but in storage containers as described in section 3.3 of the Guideline. The waste should be properly secured and transported within an enclosed vehicle or covered with a tarpaulin or net if transported in a vehicle that is not enclosed. A compaction type waste haulage vehicle must never be used to transport friable asbestos waste. Asbestos waste that is non-friable (i.e. asbestos that is immersed or fixed in a natural or artificial binder) does not need to be specially packaged for transport and disposal.

Under the federal *Interprovincial Movement of Hazardous Waste Regulations* and *Export and Import of Hazardous Waste and Hazardous Recyclable Material Regulations*, no person may transport hazardous waste in Canada for the purpose of disposal or recycling in a quantity greater than five litres or five kilograms unless it is accompanied by a completed manifest. Manifest forms are available from Nunavut's Department of Environment and completion instructions are included on the reverse side of each manifest. Further information on manifesting can be obtained by referring to the *Environmental Guideline for the General Management of Hazardous Waste* or Environment Canada's *User's Guide for the Hazardous Waste Manifest*.

Friable waste asbestos is classified as a Class 9 Miscellaneous Waste by the *Transportation of Dangerous Goods Act*. The classification, packaging, labeling and placarding of this waste must conform to the federal and territorial *Transportation of Dangerous Goods Act* and *Regulations*. Schedule I of the *Regulations* classifies waste asbestos as follows:

Shipping Name:	WASTE Asbestos Blue (crocidolite)
	Classification: 9
	Product Identification Number: UN2212
	Packing Group: II
Shipping Name:	WASTE Asbestos Brown (amosite, mysorite)
	Classification: 9
	Product Identification Number: UN2212
	Packing Group: II
Shipping Name:	WASTE Asbestos White (chrysotile, actinolite, anthophyllite, tremolite)
	Classification: 9
	Product Identification Number: UN2590
	Packing Group: III

³ The criterion for Class 9 Miscellaneous Waste is 1000 kilograms or litres and the total aggregate quantity is 5000 kilograms or litres.

Non-friable asbestos is not a hazardous waste and does not need to be accompanied by a manifest.

The transport of waste asbestos by air must conform to the *International Air Transport Association (IATA) Dangerous Goods Regulations* and *International Civil Aviation Organization (ICAO) Technical Instructions*, while transport by marine must conform to the *International Marine Dangerous Goods Code*. Further information on transporting these materials can be obtained by contacting Transport Canada or by referring to the appropriate Transport Authority.

Hazardous waste generators, carriers and receivers operating in Nunavut must be registered with the Nunavut Department of Environment. A unique registration number is assigned to each registrant through the registration process, which enables completion of the manifest document. Copies of registration forms are available at <http://env.gov.nu.ca/programareas/environmentprotection/forms-applications> or by contacting Nunavut's Department of Environment. Refer to the *Environmental Guideline for the General Management of Hazardous Waste* for additional information on the registration process.

A listing of hazardous waste carriers, receivers and management facilities registered to operate in Nunavut is available by contacting Nunavut's Department of Environment.

3.5 Disposal

Friable waste asbestos may be disposed of at a municipal landfill site in Nunavut provided that authorization and approval has first been obtained from the local municipal government. The local municipal government must be registered with Nunavut's Department of Environment as a hazardous waste receiver before accepting the waste.

Upon arrival at the landfill site, the waste asbestos should immediately be buried and covered with at least 30 centimetres (one foot) of soil to ensure further direct contact with people and heavy equipment is avoided. Care should be taken to ensure the asbestos containment (i.e. plastics bags) is not broken or ruptured while being covered. A final cover of at least 60 centimetres (two feet) of soil should be placed over the waste asbestos within 24 hours. The excavation site should be separate from other disposal or burning activities and a sign erected so the asbestos is never disturbed. A detailed map or drawing of the excavation site location should also be maintained by the local municipal government for future reference.

Where friable asbestos is being unloaded for the purpose of disposal, the unloading must be carried out so that no loose asbestos waste or punctured, broken or leaking containers are landfilled. Any friable asbestos that is in a punctured, broken or leaking container must be repackaged in drums or two 6 mil plastic bags prior to its disposal.

Where local disposal of friable waste asbestos is not available, the asbestos should be transported for disposal by a registered hazardous waste carrier to a receiver or management facility that is registered to operate in Nunavut. A listing of hazardous waste carriers, receivers and management facilities is available by contacting Nunavut's Department of Environment. A listing of receivers and management facilities authorized to accept waste asbestos in other territories and provinces can be obtained by contacting the environment department in that jurisdiction or the Canadian waste exchanges and associations found in Schedule 10 of the *Environmental Guideline for the General Management of Hazardous Waste*.

Conclusion

Asbestos is a commercial term given to a group of fibrous silicate minerals that occur naturally in the environment. Because of its unique and unusual properties, asbestos has been used over the years in the manufacture of a wide range of products. These products include building materials, friction products, heat resistant insulation, fabrics, packaging, gaskets and various coatings. During the 1980s the human health and safety risks associated with asbestos started to become known. As a result, the use of asbestos was banned or phased out throughout North America. However, a variety of asbestos products may still be found when older buildings are being renovated or demolished, or when repairs are being carried out on older vehicles and electrical appliances. The *Environmental Guideline for Waste Asbestos* is an introduction to the management of asbestos. It provides information on the characteristics of asbestos, its possible effects on the environment and human health and guidance on its proper storage, handling and removal, transportation and disposal.

Familiarity with the Guideline does not replace the need for the owner or person in charge, management or control of waste asbestos to comply with all applicable federal and territorial legislation and municipal by-laws. The management of waste asbestos may also be controlled through permits and licenses issued by Nunavut's co-management boards, Indian and Northern Affairs Canada and other regulatory agencies. These permits and licenses must be complied with at all times.

For additional information on the management of waste asbestos, or to obtain a listing of available guidelines, go to the Department of Environment web site or contact the Department at:

Environmental Protection Division
Department of Environment
Government of Nunavut
Inuksugait Plaza, P.O. Box 1000, Station 1360
Iqaluit, Nunavut X0A 0H0

Telephone: (867) 975-7729

Fax: (867) 975-7739

Email: EnvironmentalProtection@gov.nu.ca

Website: <http://env.gov.nu.ca/programareas/environmentprotection>

References

Alberta Environment. Guidelines for the Disposal of Asbestos Waste, (1989).

<http://environment.gov.ab.ca/info/library/7247.pdf>

Environment Canada. Asbestos Webpage.

<http://www.ec.gc.ca/toxiques-toxics/Default.asp?lang=En&n=98E80CC6-1&xml=A183A275-6D44-4979-8C4F-371E7BF29B9F>

Environment Canada. Risk Evaluation Determining Whether Environmental Emergency Planning is Required Under the *Environmental Emergency Regulations* set under the *Canadian Environmental Protection Act 1999*.

<http://www.ec.gc.ca/publications/F55958A7-82AF-49ED-B20D-B48F6DC34FE2/Asbestos.pdf>

Government of Nunavut, Department of Environment. Environmental Guideline for the General Management of Hazardous Waste, (2010).

<http://env.gov.nu.ca/node/82#Guideline Documents>

Government of Nunavut, Department of Environment. Environmental Guideline for Waste Asbestos, (2002).

Government of Nunavut, Department of Justice. *Consolidation of Asbestos Safety Regulations*.

<http://www.justice.gov.nu.ca/apps/search/docSearch.aspx>

Health Canada. Health Risks of Asbestos Webpage.

<http://www.hc-sc.gc.ca/hl-vs/iyh-vsv/environ/asbestos-amiante-eng.php>

Krytiuk Specialty Contracting Inc. What is Asbestos Webpage.

<http://ksccanada.com/21.html>

APPENDICES

APPENDIX 1 - ENVIRONMENTAL PROTECTION ACT

The following are excerpts from the *Environmental Protection Act*

1. "Contaminant" means any noise, heat, vibration or substance and includes such other substance as the Minister may prescribe that, where discharged into the environment,
 - (a) endangers the health, safety or welfare of persons,
 - (b) interferes or is likely to interfere with normal enjoyment of life or property,
 - (c) endangers the health of animal life, or
 - (d) causes or is likely to cause damage to plant life or to property;

"Discharge" includes, but not so as to limit the meaning, any pumping, pouring, throwing, dumping, emitting, burning, spraying, spreading, leaking, spilling, or escaping;

"Environment" means the components of the Earth and includes

- (a) air, land and water,
- (b) all layers of the atmosphere,
- (c) all organic and inorganic matter and living organisms, and
- (d) the interacting natural systems that include components referred to in paragraphs (a) to (c).

"Inspector" means a person appointed under subsection 3(2) and includes the Chief Environmental Protection Officer.

- 2.2 The Minister may
 - (a) establish, operate and maintain stations to monitor the quality of the environment in the Territories;
 - (b) conduct research studies, conferences and training programs relating to contaminants and to the preservation, protection or enhancement of the environment;
 - (c) develop, co-ordinate and administer policies, standards, guidelines and codes of practice relating to the preservation, protection or enhancement of the environment;
 - (d) collect, publish and distribute information relating to contaminants and to the preservation, protection or enhancement of the environment:
3.
 - (1) The Minister shall appoint a Chief Environmental Protection Officer who shall administer and enforce this Act and the regulations.
 - (2) The Chief Environmental Protection Officer may appoint inspectors and shall specify in the appointment the powers that may be exercised and the duties that may be performed by the inspector under this Act and regulations.
5.
 - (1) Subject to subsection (3), no person shall discharge or permit the discharge of a contaminant into the environment.
 - (3) Subsection (1) does not apply where the person who discharged the contaminant or permitted the discharge of the contaminant establishes that
 - (a) the discharge is authorized by this Act or the regulations or by an order issued under this Act or the regulations;
 - (b) the contaminant has been used solely for domestic purposes and was discharged from within a dwelling house;
 - (c) the contaminant was discharged from the exhaust system of a vehicle;

- (d) the discharge of the contaminant resulted from the burning of leaves, foliage, wood, crops or stubble for domestic or agricultural purposes;
- (e) the discharge of the contaminant resulted from burning for land clearing or land grading;
- (f) the discharge of the contaminant resulted from a fire set by a public official for habitat management of silviculture purposes;
- (g) the contaminant was discharged for the purposes of combating a forest fire;
- (h) the contaminant is a soil particle or grit discharged in the course of agriculture or horticulture; or
- (i) the contaminant is a pesticide classified and labelled as "domestic" under the *Pest Control Products Regulations* (Canada).

(4) The exceptions set out in subsection (3) do not apply where a person discharges a contaminant that the inspector has reasonable grounds to believe is not usually associated with a discharge from the excepted activity.

- 5.1. Where a discharge of a contaminant into the environment in contravention of this Act or the regulations or the provisions of a permit or license issued under this Act or the regulations occurs or a reasonable likelihood of such a discharge exists, every person causing or contributing to the discharge or increasing the likelihood of such a discharge, and the owner or the person in charge, management or control of the contaminant before its discharge or likely discharge, shall immediately:
- (a) subject to any regulations, report the discharge or likely discharge to the person or office designated by the regulations;
 - (b) take all reasonable measures consistent with public safety to stop the discharge, repair any damage caused by the discharge and prevent or eliminate any danger to life, health, property or the environment that results or may be reasonably expected to result from the discharge or likely discharge; and
 - (c) make a reasonable effort to notify every member of the public who may be adversely affected by the discharge or likely discharge.
6. (1) Where an inspector believes on reasonable grounds that a discharge of a contaminant in contravention of this Act or the regulations or a provision of a permit or license issued under this Act or the regulations has occurred or is occurring, the inspector may issue an order requiring any person causing or contributing to the discharge or the owner or the person in charge, management or control of the contaminant to stop the discharge by the date named in the order.
7. (1) Notwithstanding section 6, where a person discharges or permits the discharge of a contaminant into the environment, an inspector may order that person to repair or remedy any injury or damage to the environment that results from the discharge.
- (2) Where a person fails or neglects to repair or remedy any injury or damage to the environment in accordance with an order made under subsection (1) or where immediate remedial measures are required to protect the environment, the Chief Environmental Protection Officer may cause to be carried out the measures that he or she considers necessary to repair or remedy an injury or damage to the environment that results from any discharge.

APPENDIX 2 – SAFETY ACT: ASBESTOS SAFETY REGULATIONS

This consolidation is not an official statement of the *Asbestos Safety Regulations*. It is a current consolidation prepared for convenience of reference only. The authoritative text of the *Regulations* should be obtained from the Northwest Territories and Nunavut Workers' Safety and Compensation Commission.

1. In these regulations,

"Asbestos" means crocidolite, amosite, chrysotile, fibrous anthophyllite, tremolite, actinolite or any mixture containing any of these minerals;

"Asbestos dust" means dust consisting of or containing asbestos fibres;

"Asbestos process" means the handling of materials containing asbestos and includes:

- (a) sawing, cutting, sanding or spraying materials,
- (b) repair or maintenance of materials,
- (c) cleaning or disposal of materials,
- (d) mixing or applying asbestos shorts, cements, grouts, putties or similar compounds,
- (e) storage or conveyance of materials.

2. These regulations apply to every establishment.

3. No person shall use crocidolite in any asbestos process.

4. No person shall apply, by spraying, insulation materials containing asbestos.

5. (1) An employer conducting an asbestos process shall:

- (a) provide each worker who may be exposed to asbestos with respiratory equipment designed for use in asbestos processes and that has been approved by the Canadian Standards Association;
- (b) provide each worker who may be exposed to asbestos with dustproof coveralls, gauntlets, eye protection and headgear;
- (c) ensure that, at all times during the asbestos process, ventilation and air filtering equipment is in operation and removing asbestos dust from the air;
- (d) enclose the work area to prevent the escape of asbestos dust;
- (e) post warning notices in prominent places indicating that an asbestos process is in progress;
- (f) ensure that, prior to disturbing any asbestos surface, the asbestos is soaked with water through its entire thickness;
- (g) where a safety officer is of the opinion that it is not practicable to comply with the requirements in paragraph (d), ensure that any asbestos surface is kept wet as it is being disturbed;
- (h) clean the work area surrounding an asbestos process thoroughly each day by vacuum equipment or a wet cleaning method approved by a safety officer; and
- (i) ensure that all asbestos materials, debris and dust are placed in sealed, airtight containers and clearly labeled "ASBESTOS".

(2) A safety officer may, in writing, exempt an employer from the requirements of paragraph 1(a) where the safety officer is of the opinion that the nature of the asbestos process is such that the employer cannot, practically, comply with the requirements.

(3) An employer providing equipment under subsection (1) shall dispose of the equipment after use or shall remove all traces of asbestos dust and shall store the equipment in an airtight container.

6. An employer conducting an asbestos process shall provide the following training to any worker who is likely to come in contact with asbestos:
 - (a) demonstration and instruction in the use of all protective equipment;
 - (b) the safe handling and proper disposal of waste asbestos;
 - (c) health education including information relating to pneumoconiosis, lung cancer, mesothelioma and the effects of smoking; and
 - (d) any other information a safety officer considers necessary.
7.
 - (1) Where an employer uses ventilation and air filtering equipment, the employer shall inspect and clean the equipment weekly.
 - (2) A safety officer may designate a person in the workplace to inspect any ventilation and air filtering equipment yearly to report to the employer on the condition of the equipment and the need for repair.
 - (3) An employer receiving a report recommending repair under subsection (2) shall complete the recommended repairs within 30 days of receipt of the report.
8. No person shall employ a minor where an asbestos process is being conducted unless
 - (a) the process is conducted under constant supervision; and
 - (b) the process has been inspected and approved by a safety officer.
9.
 - (1) Within 30 days of receipt of a written request for a medical examination by a worker involved in an asbestos process, an employer shall arrange and pay the full cost of an examination by a physician.
 - (2) The employer shall make arrangements for a medical examination that includes:
 - (a) a complete physical examination with special attention to the respiratory system;
 - (b) lung function tests including forced vital capacity and forced expiratory volume at one second; and
 - (c) any medical procedures considered necessary by the examining physician for the diagnosis of asbestos related illness.
 - (3) Upon written request by the Minister, a physician who has conducted an examination under subsection (2) shall provide the Minister with a report containing all information resulting from the examination.
 - (4) Every report provided under subsection (3) is a privileged communication of the person making it.

APPENDIX 3 – ASBESTOS CONTAINING MATERIALS

The following products have in the past been manufactured using asbestos. If in doubt, confirm with the product's manufacturer as to whether it is asbestos-free.

- Acoustical Plaster
- Base Flashing
- Breaching Insulation
- Cement Pipes
- Chalkboards
- Ductwork
- Electrical Panel Partitions
- Fire Blankets
- Fireproofing Materials
- Heating and Electrical Ducts
- Joint Compounds
- Packing Materials
- Roofing Shingles
- Taping Compounds (thermal)
- Wallboard
- Vinyl Floor Tile
- Adhesives
- Blown-in Insulation
- Caulking and Putties
- Cement Siding
- Construction Mastics and Adhesives
- Electrical Wiring Insulation
- Elevator Brake Shoes
- Fire Curtains
- Flexible Fabric Connections
- High Temperature Gaskets
- Laboratory Gloves
- Pipe Insulation
- Spackling Compounds
- Textured Paints and Coatings
- Vinyl Sheet Flooring
- Cooling Towers
- Asphalt Floor Tile
- Boiler Insulation
- Ceiling Tiles
- Cement Wallboard
- Decorative Plaster
- Electrical Cloth
- Elevator Equipment Panels
- Fire Doors
- Flooring Backing
- HVAC Duct Insulation
- Laboratory Hoods and Table Tops
- Roofing Felt
- Spray-Applied Insulation
- Thermal Paper Products
- Vinyl Wall Coverings

Source - Krytiuk Specialty Contracting Inc.

APPENDIX 4 – GOVERNMENT AND INDUSTRY CONTACTS

Government of Nunavut

Environmental Protection Division
Department of Environment
Inuksugait Plaza
P.O. Box 1000, Station 1360
Iqaluit, Nunavut X0A 0H0
Telephone: (867) 975-7729 Fax: (867) 975-7739

Motor Vehicles Division
Department of Economic Development and
Transportation
P.O. Box 10
Gjoa Haven, Nunavut X0B 1J0
Telephone: (867) 360-4615 Fax: (867) 360-4619

Workers' Safety and Compensation Commission
P.O. Box 669
Baron Building/1091
Iqaluit, Nunavut X0A 0H0
Telephone: 1-877-404-4407 (toll free)
Fax: 1-866-979-8501

Department of Community and Government
Services (all Divisions)
P.O. Box 1000, Station 700
4th Floor, W.G. Brown Building
Iqaluit, Nunavut X0A 0H0
Telephone: (867) 975-5400 Fax: (867) 975-5305

Office of Chief Medical Health Officer of Health
Department of Health and Social Services
P.O. Box 1000, Station 1000
Iqaluit, Nunavut X0A 0H0
Telephone: (867) 975-5774 Fax: (867) 975-5755

Government of Canada

Indian and Northern Affairs – Nunavut Region
P.O. Box 2200
Iqaluit, Nunavut X0A 0H0
Telephone: (867) 975-4500 Fax: (867) 975-4560

Environment Canada (NWT and Nunavut)
5019 52nd Street
Yellowknife, Northwest Territories X1A 1T5
Telephone: (867) 669-4730 Fax: (867) 873-8185

Department of Transport – Road, Rail, Marine, Air
P.O. Box 8550
344 Edmonton Street
Winnipeg, Manitoba R3C 1P6
Telephone: 1-888-463-0521 (toll free)
Fax: (204) 983-8992 Road, Rail and Marine
Fax: (204) 983-1734 Air

Industry

National Demolition Association
16 N. Franklin Street, Suite 203
Doylestown, Pennsylvania USA 18901-3536
Telephone: (215) 348-4949 Fax (215) 348-8422
Website: <http://www.demolitionassociation.com>